



### STANDARD SOLVENTS

### ORASOLV B30 564

#### quick evaporation

Appropriate solvent for metallic surfaces, mechanical and electrical parts in cleaning between operations. Penetrates deeply and dissolves greasy deposits and oils. Leaves a perfectly dry surface. Can be used in finishing works.

Colour: colourless Flash point: >30°C Compatible with part washers Di-electrical strenght: >40kV

2564 i2	Bottle 1 I	x 12
2564 O1	Drum 20 I	x 1
2564 U2	Drum 200 I	x 1

#### ORASOLV B40 567

#### multipurpose

Cleaning solvent with quick evaporation. For complete degreasing of all mechanical parts and metallic surfaces. Cleans electrical motors coil windings (dismantled). Penetrate deeply and dissolves greasy deposits and dirty oil.

Colour: colourless Flash point: >40°C

Compatible with part washers Di-electrical strenght: >40kV

2567 i2	Bottle 1 I	x 12
2567 J1	Can 5 I	x 4
2567 O5	Drum 60 I	x 1
2567 U2	Drum 200 I	x 1

#### **ORASOLV B60**

#### security anti corrosion

Degreasing of all metallic surface, even very greasy. Slow evaporation, leaving a light anti-corrosion film. Advised for soaking for stubborn deposits.

Colour: colourless Flash point: >61°C Compatible with part washers and ultra sonic bath Di-electrical strenght: >40kV



2571 i2	Bottle 1 I	x 12
2571 J1	Can 51	x 4
2571 O1	Drum 20 I	x 1
2571 O5	Drum 60 I	x 1
2571 U2	Drum 200 I	x 1

## **NONE FLAMMABLE SOLVENTS**

#### **SDI NEW**

#### 504

#### super industrial degreaser

Extremely powerful degreaser: carbonised greases, synthetic fluids, fuels, tar, gums, varnish and hydrocarbons deposits. Immediate drying. Surface preparation before gluing or painting.

Colour: colourless Odour: light orange fragrance Not flammable

4504 A5	Aerosol 800 ml	x 12
2504 J1	Can 5 kg	x 4
2504 O5	Drum 60 kg	x 1
2504 U2	Drum 200 kg	x 1

#### A 90 H

#### 508

#### cleaner for electronics

High security for cleaning of contacts under load. Quick and total evaporation. Cleans electrical circuit boxes, coil windings, printed circuits, precision electronical devices (relays, connectors...). Defluxing solvent. Does not stain. Does not promote the oxidation of pieces after drying. No effect on plastics.

Colour: colourless Flash point: not flammable Dielectric strenght:>50kv

> 4508 A4 Aerosol 650 ml x 12

#### **ORASOLV A05**

#### cleaner and stripper

For surfaces preparation. Perfectly dissolves grease, tar and oil deposits, resins, glues inks and paints. Quick and total evaporation. Leaves a dry, clean surfaces, without any residue.

Colour: colourless Not flammable Di electrical strenght: >60 kV Kauri Buutanol index (IKB): 135

2518 i2	Bottle 1 kg	x 12
2518 J1	Can 5 kg	x 4
2518 O1	Drum 20 kg	x 1
2518 O5	Drum 60 kg	x 1
2518 U2	Drum 200 kg	x 1 /





# **HIGH TECHNOLOGY SOLVENTS**

#### ORASOLV K1 536

#### reinforced solvent power

Very efficient for difficult degreasing. Wide action spectrum. Dissolves oils, greases and tars on very dirty surfaces. Immediate drying and no residues after evaporation.

Colour: colourless Compatible with part washers Di-electrical strenght: >40kV Kauri Butanol index (iKB): >82

2536 i2	Bottle 1 I	x 12
2536 O5	Drum 60 I	x 1
2536 U2	Drum 200 I	x 1

#### ORASOLV L 512

#### quick evaporation

New generation solvent appropriate for all mechanical and electrical parts, not under load. Cleans quickly and leaves a perfectly dry surface

Colour: pale green Flash point: >30°C Compatible with part washers Di-electrical strenght: > 40kV Kauri Butanol index (iKB): >70

2512 i2	Bottle 1 I	x 12
2512 J1	Can 5 I	x 4
2512 O5	Drum 60 I	x 1
2512 U2	Drum 200 I	x 1

### ORASOLV M1 511

#### multipurpose for workshops

Especially formulated for the de-greasing of all mechanical parts and metallic surfaces in workshops. Penetrate deeply and dissolves greasy deposits and sludge on mechanical parts.

Colour: green Flash point: >40°C Compatible with part washers Di-electrical strenght: >40kV Kauri Butanol index (iKB): >72



2511 i2	Bottle 1 I	x 12
2511 J1	Can 5 I	x 4
2511 01	Drum 20 I	x 1
2511 O5	Drum 60 I	x 1
2511 U2	Drum 200 I	x 1

#### ORASOLV P 540

#### very high dissolving power

Formulated for the quick and complete de-greasing of any very dirty surface. Can work as a protection between machining operations.

Colour: pale green Flash point: >61°C Compatible with part washers and ultra sonic baths. Di-electrical strenght: >40kV Kauri Butanol index (iKB): >60



2540 i2	Bottle 1 I	x 12
2540 J1	Can 5 I	x 4
2540 O1	Drum 20 I	x 1
2540 O5	Drum 60 I	x 1
2540 U2	Drum 200 I	x 1

#### ORASOLV P2 541

#### high efficiency and security

High technology solvent, advised for soaking for stubborn deposits. Cleans engine blocks, flanges, coil windings.

Colour: pale green Flash point: >61°C Compatible with part washers Di-electrical strenght: >40kV Kauri Butanol index (iKB): >70

4541 A4	Aerosol 650 ml	x 12
2541 O1	Drum 20 I	x 1
2541 O5	Drum 60 I	x 1
2541 U2	Drum 200 I	x 1

### NATUR'SOLV 582

#### vegetable solvent

New generation high technology solvent made from vegetable oils. Excellent degreaser tar remover. Penetrate deeply and dissolves greasy deposits and dirty oils. Protects against corrosion, no VOC.

Colour: colourless Flash point: >150°C Compatible with part washers Di-electrical strenght: >40kV Kauri Butanol index (iKB): 60



2582 i2	Spray bottle 1 l	x 12
2582 J1	Can 51	x 4
2582 O1	Drum 20 I	x 1
2582 U2	Drum 200 I	x 1





# **FOOD APPROVED SOLVENTS**

### ORASOLV A 568

#### very quick drying

Dry solvent. Penetrate deeply and perfectly dissolves greasy deposits and glues. Does not promote metal oxidation after drying. Soluble in water. Can be used for glue residues cleaning, adhesives, labels, blood or sugar in food environment.

Colour: colourless Flash point: >21°C





4568 A4	Aerosol 650 ml	x 12
2568 i2	Bottle 1 I	x 12
2568 J1	Can 5 I	x 4
2568 U2	Drum 200 I	x 1

### ORASOLV N 513

#### multipurpose, odourless

De-greases mechanical parts. Cleans electrical and electronic tooling. Quick evaporation through blowing. Security solvent.

Aspect: odourless Colour: colourless Flash point: >60°C Compatible with part washers and ultra sound machines.

Di-electrical strenght: >40kV

	ď
	J.
U	
ハー	
	Z"

2513 i2	Bottle 1 I	x 12
2513 O1	Drum 20 I	x 1
2513 O5	Drum 60 I	x 1
2513 U2	Drum 200 I	x 1

### ORASOLV R2 576

#### without VOC

Penetrate deeply and perfectly dissolves greasy deposits. Leaves a light greasy film that protects metals. Ideal solvent for all cleanings with operator and environment security. To be used with part washer and ultra sonic machines.

Aspect: limpid liquid Colour: colourless Flash point: >100°C Compatible with part washers

and ultra sonic bath

Di-electrical strenght: >40kV



2576 i2	Bottle 1 I	x 12
2576 J1	Can 5 I	x 4
2576 U2	Drum 200 I	x 1

### ORASOLV S1 543

#### biodegradable

High technology solvent. Soluble in water, allows easy rinsing of surfaces. To be used neat for cleaning and de-greasing of lots of chemicals: printing inks, resins, glues... Very efficient solvent.

Colour: green Flash point: 75

Compatible with part washers Di-electrical strenght: >40kV



2543 i2	Bottle 1 I	x 12
2543 J1	Can 5 I	x 4
2543 O1	Drum 20 I	x 1
2543 U2	Drum 200 I	x 1

#### ORASOLV T

#### quick evaporation

For mechanical parts cleaning, stainless steel tooling. Excellent compatibility with gaskets, rubbers and all plastics. Cleaning of food and pharmaceutical facilities.

Colour: colourless Flash point: >40°C Compatible with part washers Di-electrical strenght: >40kV





4544 A4	Aerosol 650 ml	x 12
2544 i2	Bottle 1 I	x 12
2544 J1	Can 5 I	x 4
2544 U2	Drum 200 I	x 1







### **SPECIAL SOLVENTS**

#### KLEANER 503

#### dry solvent for plastics

Dry cleaner and grease remover quick drying. Cleaning of all devices and small mechanisms, contacts and printed circuits. Ideal to clean any surfaces difficult to reach and fragile. Very high grease dissolution power. Does not contain chlorinated solvent. Does not damage fragile materials, inks or plastics.

Colour: colourless Odour: apple Flash point: <21°C

> 4503 A4 Aerosol 650 ml x 12

#### NDI 507

#### surface preparation - dry

Essential for cleaning before gluing and preparation before painting. Very quick evaporation. Cleans metallic and plastic surfaces (after compatibility test). Does not contain chlorinated solvent. Leave a dry and clean surface.

Colour: colourless Flash point: <21°C Not compatible with part washer

4507 A4	Aerosol 650 ml	x 12
2507 J1	Can 51	x 4

#### ORASOLV O 514

#### dry - ultra quick evaporation

For preparation of surfaces before painting or gluing. Dissolves resins, glues, inks and paints. Immediate evaporation. Leaves a completely clean and dry surface, without deposits. Cleaning of tubes and valves for oxygen. Does not contain chlorinated solvents.

Colour: colourless Flash point: <0°C Not compatible with part washers

2514 i2	Bottle 1 I	x 12
2514 J1	Can 51	x 4
2514 01	Drum 20 I	x 1

### ORASOLV E 539

#### emulsifiable

Very high dissolving power. Powerful tar remover, cleaning of burnt residues. De-greases very dirty mechanical parts, cement and concréte floors... Cleans brushes impregnated with solvent based paints.

Colour: blue Flash point: >40°C Compatible with part washers Kauri Butanol index (iKB): >78

2539 i2	Bottle 1 I	x 12
2539 J1	Can 5 I	x 4
2539 O1	Drum 20 I	x 1
2539 O5	Drum 60 I	x 1
2539 U2	Drum 200 I	x l

#### **ORANGE SOLVENT** 550

#### degreaser tar remover

Cleans and dissolves greases. Tar remover and burnt residues remover. Protects mechanical parts by leaving a light greasy film. Not irritant. Excellent to remove labels. All usages.

Colour: orange - Odour: fruity Flash point: >61°C Compatible with part washers Kauri Butanol index (iKB): 80



4550 A4	Aerosol 650 ml	x 12
2550 i2	Bottle 1 I	x 12
2550 J1	Can 5 I	x 4
2550 O1	Drum 20 I	x 1
2550 U2	Drum 200 I	x 1

#### A 62 NU

#### no chlorine, no sulphur, no fluorine

Decontaminating product for radioactive particles and de-greasing solvent for heavily soiled mechanical pieces.PMUC approved for nuclear and thermal plants, hydroelectric installations and subcontractors. Agreed for HTA and BT cable degreasing.

Colour: colourless Flash point: 62°C Part washer compatible



PMUC	6517 i4	Spray bottle 1	I x 12
PMUC	6517 J1	Can 5 I	x 4
PMUC	6517 O1	Drum 20 I	x 1
PMUC	6517 U2	Drum 200 I	x 1



#### AV 33

#### weapon cleaner

Anti-corrosive, anti-rust, lubricant. Preventive and curative use. Dissolves and neutralises powder deposit, protects mechanism and weapons. To be used on weapon of any calibre. Spray on or in the weapon. Special army: high output valve, appropriate for cannons (650ml)

Colour: yellow



4813 A1	Aerosol 210 ml	x 12
4813 A4	Aerosol 650 ml	x 12
2813 01	Drum 20 I	x 1

#### **NET FREINS**

#### brakes cleaner

Dry cleaner, grease remover for brakes. Evaporate very quickly, does not attack plastics. Powerful spray. Eliminates oils, brake shoe residues...

Appropriate to brakes on cars, trucks, trailers, machines... Surface preparation before gluing or painting.

Colour: colourless Flash point < 0°



4516 A4	Aerosol 650 ml	x 12
2516 J1	Can 5 I	x 4
2516 O1	Drum 20 I	x 1

# Tooling

# (solvents)

# 700 050 FONTAINE DE DEGRAISSAGE

electrical part washer appropriate for solvents

Avoids losses through evaporation. Speeds up cleaning thanks to the pierced brush continually supplied with product through electrical pump. Product is recovered during drying up of clean parts. Developed to be put directly above a 2001 drum. Can be used on 601 drums thanks to the adaptor 700057.

Electrical part washer 700050
Naked part washer (metallic tank) 700052
Pumping device (spare part) 700053

# 700 051 FONTAINE DE DEGRAISSAGE

pneumatic part washer appropriate for solvents

Avoids losses through evaporation. Speeds up cleaning thanks to the pierced brush continually supplied with product through pneumatic pump. Product is recovered during drying up of clean parts. Developed to be put directly above a 2001 drum. Can be used on 601 drums thanks to the adaptor 700057.

Pneumatic part washer 700051
Naked part washer (metallic tank) 700052
Pumping device (spare part) 700055

(detergent part washer: cf p14)

# 700 061 FONTAINE DE DEGRAISSAGE electrical part washer 451

Ideal for maintenance workshops. To be moved easily from a workshop to another. Developed to be used with 40l solvent of detergent, which reduces chemical risks. Avoids losses through evaporation. Speeds up cleaning thanks to the pierced brush continually supplied with product through electrical pump. Product is recovered during drying up of clean parts. Can be easily emptied for cleaning up.

Electrical part washer

700061



Réf. 700 050 700 051 700 058 (see p.14)

Réf. 700 061

1 year warranty

exclusively with Orapi products.



## **SANITATION - DETERGENTS**

#### ORANET B1 515

#### super concentrated detergent

Very powerful liquid detergent. Truck's and car body washing, tarpaulins, painted surfaces, very dirty floors, machines body... To be used with a brush, automatic truck-wash, auto scrubbers or high pressure cleaner. To be used diluted in water, from 0.5% to 20%.

Colour: blue



2515 i1	Spray bottle 500 ml	x 12
2515 i2	Bottle 1 kg	x 12
2515 J1	Can 5 kg	x 4
2515 O1	Drum 20 kg	x 1
2515U2	Drum 200 kg	x 1

#### ORANET A 530

#### food industries

Tank trucks, trucks' tarpaulin, floors, machines' body... wine, beer, vegetables, meat, biscuits, cheese, milk production and packing,...

To be used with a brush, automatic truck-wash, auto scrubbers or high pressure cleaner. To be used diluted in water, from 0.5% to 20%.

Colour: colourless Odour: odourless





2530 i2	Bottle 1 kg	x 12
2530 J1	Can 5 kg	x 4
2530 O1	Drum 20 kg	x 1
2530 O5	Drum 60 kg	x 1
2530 U2	Drum 200 kg	x 1

#### ORANET C 531

#### floor and wall detergent

Powerful liquid detergent. Especially developed for the cleaning of dirty floors (concrete, tiled or painted floors) in automotive industry, any dirty production unit, changing rooms, showers... To be used with a brush, automatic truck-wash, auto scrubbers or high pressure cleaner. To be used diluted in water, from 1% to 20%.

Colour: pink

2531 i2	Bottle 1 I	x 12
2531 J1	Can 5 kg	x 4
2531 O1	Drum 20 kg	x 1
2531 U2	Drum 200 kg	x 1

#### ORANET M 532

#### metallic parts

Very powerful detergent for non-painted metals. Main body, machine body, mechanical parts cleaning. To be used with brush, by soaking, with high pressure machine. Perfectly cleans water-based paints and inks. To be used diluted in water (0.5% to 20%) or neat in part washer.

Colour: yellow



2532 i2	Bottle 1 I	x 12
2532 J1	Can 5 kg	x 4
2532 O1	Drum 20 kg	x 1
2532 O5	Drum 60 kg	x 1
2532 U2	Drum 200 kg	x 1

#### ORANET S

#### non foaming

Multipurpose very powerful cleaner for auto scrubber and high speed cleaning tools or ultra sonic. Does not foam, even under heavy aggitation. Biodegradable. To be used for difficult factory cleaning: floors, tiled floors, changing rooms... To be used from 2 to 15%.

Colour: orange yellow

2533 i2	Bottle 1 I	x 12
2533 O1	Drum 20 I	x 1 /

# CORRPI www.orapi.com

### ORANET N 537

#### neutral pH detergent

Powerful multipurpose liquid detergent without VOC, for every industry. Truck and car body, tarpaulin, painted surface, floor, machine body cleaning, aluminium parts as a regular care... To be used with brush, truck automatic washing system, auto scrubber or high pressure washer. To be used diluted from 5 to 40%.

Colour: translucent blue Odour: marine scent pH neat: 7.5

2537 J1	Can 5 I	x 4
2537 U2	Drum 200 I	x 1

### FONTAINE DEGRAISSAGE 700 058

#### appropriate for detergents

Ideal system for security and environment: no heating, no electricity.

Avoids losses through evaporation. Speeds up cleaning thanks to the pierced brush continually supplied with product through pneumatic pump.

Product is recovered during drying up of clean parts. Conceived to be put directly above a 2001 ORANET M drum.

Can be used on 601 drums thanks to the adaptor 700057.

(see page 13)

700 058 Pneum. part wash. x 1 700 052 Naked part wash. x 1 700 064 Pump for detergents x 1





## **SANITATION - SCALE REMOVING DETERGENTS**

### ORATARTRE 962

#### powerful scale remover

Non flammable, scale remover for all industrial devices, tubes, heaters, heat exchangers, heating coils, heater tanks. Does not cause metal oxidation, dissolves scale deposits. Dissolves also cement stains, cleans tile ioints, concrete mixer. Ready to use. Can be diluted.

Colour: yellow pH: <1

2962 i2	Bottle 1 kg	x 12
2962 J1	Can 5 kg	x 4
2962 O1	Drum 20 kg	x 1
2962 O5	Drum 60 kg	x 1
2962 U2	Drum 200 kg	x 1

#### RUST AND CONCRETE REMOVER 744

very powerful scale remover

Concentrated scale remover for all industrial devices, tubing, heaters, heat exchangers, heating coils, tanks, radiators. Dissolves scale deposits, even when very thick. Dissolves cement stains, cleans tile ioints, concrete mixer, masonry tools.

Excellent stripper and surface brighterer for all metals with to oxidation. Ready to use. Can be diluted.

pH: <1

2744 O1	Drum 20 kg	x 1
2744 U2	Drum 200 kg	x 1



# **SANITATION - SPECIAL DETERGENTS**

#### RENOV'CUIVRE 682

#### copper renovation

Renovating cleaning detergent, super concentrated stripper with no VOC. Fully eliminates all oxidation marks, greasy deposits, brazing marks and any mark due to the usage of a blowtorch. Cleaning of copper in any form and in any industry, also stainless steel and PVC. Passivate and matting of metals (aluminium, cast iron, treated steels). To be use diluted, rinse with clear water.



2682 J1	Can 5 kg	x 4
2682 O1	Drum 20 kg	x 1

### ORARENOV

#### renovating stripper

Eliminates greasy deposit and oxidation from metallic parts surface. Ideal for aluminium and stainless steel cleaning and maintenance. Excellent cleaner and surface brighterer. Ready to use. Can be used diluted.

Colour: colourless pH: <1



	2535 i2	Bottle 1 kg	x 12
	2535 J1	Can 5 kg	x 4
	2535 U2	Drum 200 kg	x 1

### BRILLINOX

#### polish for stainless steel renovation

Eliminate greasy film and stains and gives a durable shine to cleaned surfaces: stainless steel, chromes...

Has a polishing and protector effect. Dairy, brewery, machine body, stainless steel constructions... Put a little bit of NETINOX on the product and polish.

Colour: colourless



4586 A4	Aerosol 650 ml	x 12
2586 J1	Can 5 kg	x 4
2586 U2	Drum 200 kg	x 1

# **SANITATION - TREATING DETERGENTS**

#### **ORAPHOS 50 963**

#### phosphating degreaser

Cleaner degreaser and phosphating product for all metallic parts. Phosphating effect creates a anti-rust protection, metal treated this way and can be painted. Metalwork, boiler work, automotive industry...

Mixing ratio: 10 to 50% in water depending on dirt.

Colour: yellow pH: <1

2963 i2	Bottle 1 kg	x 12
2963 J1	Can 5 kg	x 4
2963 O5	Drum 60 kg	x 1
2963 U2	Drum 200 kg	x 1


#### ORAPHOS 60

#### rust remover and phospating

Cleaning, rust removing and phosphating product. Phosphating creates a anti rust protection, metal is thus durably treated and can be painted. Avoids sandblast and shot blasting. Tank, girder, various body renovation in metalwork, boiler work, automotive industry... Mixing ratio: 10 to 35% in water depending on corrosion. Can be used warm.

Colour: colourless pH:<2,5

1	2964 i2	Bottle 1 kg	x 12
	2964 O1	Drum 20 ka	x 1





# **SANITATION - DISINFECTION**

#### ACTI'SEPTYL 589

#### decontaminating cleaner

5 function multipurpose product: virucide, bactericide, decontaminating, algicide and fungicide. Cleaning, disinfection and decontamination in food industry (fishmonger, canning industry, sugar refinery, drinks...), in animal environment, hospital, local authorities, camping, swimming pool... bottle - 1 I is ready to use.



RTU	2589 i2	Bottle 1 I	x 12
	2589 J1	Can 51	x 4
	2589 O1	Drum 20 I	x 1

#### CODE 79

#### drain cleaner

Destroys and eliminates all obstructions made of cellulose, fatty substance, hair, cotton, organic compounds, sponges, cigarette butts... Use'd to unblock pipes: sinks, washbowls, toilets... for plumbers, sanitaries and all maintenance service. High density, it has a mechanical effect over the obstruction.

No effect on septic tanks. Professional products.

Colour: black



400 021 Bottle 1 I x 12

#### DEO CHERRY 510

#### deodorant, covering fragrance

Neutralises and hides most stubborns smells through direct spraying on bad odour sources. Improve the environment of sites that creates factory nuisance: sewer, waste reception centre, purification facility, slaughterer, septic tank, chemical industry, harbour area... Quick action. Soluble in water, non foaming. Dosage: 1 to 20% depending on smell, wind and temperature.

Colour: pink Odour: cherry vanilla

	2510 i4	Spray bottle 1 kg	x 12
	2510 O1	Drum 20 kg	x 1



### **SPECIAL CLEANERS**

#### **NETTOYANT JANTES** 529

#### motorcycles, cars, trucks

Cleaning rims ultra concentrated. Its unique formula removes the film, dissolves fat and ingrained dirt. Cleaning cars, trucks. Must be diluted in water, in proportions of 2 to 20%. The product must be rinsed very quickly.

2529 i1	Spray bottle 500	ml x 12
2529 J1	Can 5 I	x 4

#### NETTOYANT CARROSSERIE 547

#### motorbike, cars, trucks

Ultra concentrated foaming shampoo. Its exceptional formula eliminates the greasy film and dissolves the deepest dirt. The product is also efficient on vinyl, chrome or glass surfaces. Car or truck cleaning with automatic washing equipments, high pressure cleaner of hand cleaning. Must be diluted in water with ratio 5 to 20 %.

#### Colour: pink

2547 i1	Spray bottle 500 ml	x 12
2547 i2	Bottle 1 kg	x 12
2547 J1	Can 5 kg	x 4
2547 O1	Drum 20 kg	x 1
2547 U2	Drum 200 I	x 1

#### JET XTRA

#### plane exterior

Concentrated detergent cleaner efficient on very dirty surfaces, approved for planes exterior cleaning. Eliminates the greasy film as well as all greasy deposits, without leaving stains. To be used on any surface, with no restriction: aluminium, painted steel, plastics, Plexiglas... Cleaning of planes, helicopters, trucks, boats, military vehicles...

Colour: pink

Approved: DOUGLAS CSD - 1 1-22-79\* Approved: BOEING D6 - 17487\*

Approved: AMS 1526\*



2558 O1 Drum 20 I



### **HAND CLEANERS**

#### ORANGE CREME 580

#### citrus

Washes hands with a fresh citrus fragrance, contains refined pumice for a deep cleaning of grease, dirt, ink, paint, rust, tar. Thanks to its micronised and soft pumice, it even cleans dirt encrusted in skin pores. Contains glycerine to hydrate and care for chapped hands.

Colour: orange Odour: orange

5580 F4	Bottle 125 ml	x 49
5580 J1	Can* 5 I	x 4

### ULTRA CLEAN 575

#### wipes

Wipes impregnated with a cleaning and refreshing solution, that is highly degreasing for hands and tools heavily soiled by oils, greases, inks, paints, herbs, petrol... Cleans and leaves a pleasant smell on hands. Hypoallergenic product, to be used without rinsing. ldeal for working areas without water.

Odour: mandarin

5575 S8

85 wipes bucket x 1

#### **VSS** 959

#### powder

Degreases and eliminates: inks, dirty oil, grease, oils, petrol, fuel... Biodegradable cleaner, produced from pine cellulose, lavender essential oils and glycerine, it leaves very soft hands. For any kind of job. Bucket packaging is ideal for vehicles on building sites.

Colour: brown Odour: lavender

2959 C8	Cartridge 5 I	х 6
2959 S1	Pail 5 I	x 2
2959 O2	Drum 25 I	x 1

#### DOSEUR 959

700 009

#### wall dispenser

Dosing system for VSS 959 soap cartridge. To be easily installed with screw or directly on support with ÓRABOND 125.



700 009

Dispenser 959

#### SUPER NETTOYANT MAINS 523

#### disinfecting\* hand-soap

Hygienic treatment and disinfection by washing. Cleans softly and efficiently and is convenient for a frequent usage. For all activities, especially hospitals, restaurants, local authorities, schools... Bactericide activity NF EN 1040, pr EN 12054, hygienic hand treatment by washing: NF EN1499 (2\*30 seconds, 2\*3ml) - Fungicide activity: NF EN 1275 -Virucide activity: NF EN 14476 on HIV-1

Colour: colourless Odour: odourless

#### DOSEUR 523 700 024

#### wall dispenser

Dosing system for liquid soap SUPER NETTOYANT 523.

To be easily mounted with screw or directly on support with ORABOND 125.



Before any use, read label and information regarding the product.

x 1



# PLASTIC AND SCREEN CLEANING

#### ANTISTATIQUE 524

#### antistatic cleaning foam

Avoids dust attraction and avoids paper jam, gluing and clogging. Does not stain, quick evaporation. Designed for computers, offices, devices' screens, meters, plastic industry, synthetic furniture, automotive industry, électrostatic products packing...

> 4524 A4 Aerosol 650 ml x 12

#### DLDR

500

#### cleaning foam for plastics

Cleaning foam for all materials. Computer frame, television, laminated furniture, neon signs, plastic or metallic bumpers, copying machine... Especially for very dirty surfaces, PVC or metallic structures. Pleasant fragrance.

> 4500 A4 Aerosol 650 ml x 12

#### **NET'ECRAN**

502

#### cleaning foam for glass

Antistatic cleaner for all glass surfaces, screens, office automation, computer screen, copying machine glass, projector, ŤV...

To be wiped away quickly after spraying. Wait until surface is dry to plug in again. Screens will become perfectly clean. Compatible with new generation screens.

4502 A4	Aerosol 650 ml	x 12
2502 i4	Spray 1 I	x 12
2502 J1	Can 5 I	x 4
2502 O1	Drum 20 I	x 1



#### A 90 H

#### cleaner for electronic

High security for cleaning of contacts under load. Quick and total evaporation. Cleans electrical circuit boxes, coil windings, printed circuits, precision electronical devices (relays, connectors...). Defluxing solvent. Does not stain. Does not promote the oxidation of pieces after drying. No effect on plastics.

Colour: colourless Flash point: not flammable Dielectric strenght: >50kv

> 4508 A4 Aerosol 650 ml x 12

#### **NET'DEX**

501

#### electric contact cleaner

To be sprayed for cleaning and oxidation removal of electrical confacts. No risk for electrical devices. Excellent cleaner and degreaser for all electrical mechanisms (out of load). Let it dry after use.

> 4501 A1 Aerosol 210 ml x 12 4501 A4 Aerosol 650 ml x 12

#### SOUFFLEUR 950

#### dry gas

Multi-position dust remover aerosol, for printers, keyboards, optical readers, photos, videos, reprography, mechanical parts... This mini air compressor allows dry cleaning. Drying of all electromagnetic devices. Leaves parts perfectly dry after usage. Output pressure: 6 bars.

#### GIVREUR

#### cold generator

Intense cold generator: -65°C. Multi-positions. De-blocking through thermal shock. For computer: cold micro-processors and any device down. Makes it possible to identify failure on printed circuits. Can also be used in mechanics to contract parts and allow cold press fit.

#### RENOV' PLASTIQUE

#### without silicone

Beauty of car interiors through a RENOV'PLASTIQUE care. It renews and makes any dashboard shine without polishing, bringing it its original freshness back. Anti dust product with pleasant fragrance.

4950 A4 Aerosol 650 ml x 12 4951 A4 Aerosol 650 ml x 12 4525 A4 Aerosol 650 ml x 12



#### DECAPAINT 505

#### paint stripper and gaskets remover

Industrial extremely powerful paint stripper, with no harmful action toward metals and wood. Easy to use, even on vertical surfaces

thanks to its gel consistency. Also to be used for the removing of plastic residues, chemical gaskets and pigments that build up in injection moulds or carters. Can be used on tiled floors, concrete, wood, metal, glass, stone, bricks, marble...

> 4505 A4 Aerosol 650 ml x 12

### DECAPSOC EPX GEL 1144

#### gel paint stripper

Industrial very powerful stripper in gel, ideal for vertical surfaces. No harmful action on metals or wood. To be used on tiles, concrete, wood, metals, glass, stone, bricks, marble...

> 21144 J3 Can 6 kg x 4

#### DECAPANT

#### professional stripper

Very powerful industrial stripper especially formulated to strip paint on tanks, floors and tools at paint producers facilities. Efficient on much kind of paints: glycerine, acrylics, epoxy, polyurethane, mono or bi-compound, new or old. Stripping and renovation of workbenches, tanks, metallic tubes...

2664 i2	Bottle 1 I	x 12
2664 J1	Can 5 kg	x 4
2664 O1	Drum 20 kg	x 1
2664 U3	Drum 220 kg	x 1

#### ALCAPOUDRE 1140

#### powder stripper

Powerful stripper for the elimination of most paints through soaking. Immersion time depends on chemical nature of paint, age and thickness of layer, as well as bath temperature. ALCAPÓUDRE is particular for its high active compounds concentration (100%) and its time resistance. It is totally soluble in water. Does not contain carcinogen, mutagenic or reprotoxic compounds. Dissolve 50 to 80 g/l in cold or hot water for a better efficiency.

> 21140 S5 Drum 25 kg x 1

#### SOCOFLUID K 1155

#### powerful stripper, water based

To be used hot and in bath, for the elimination of chemically resistant paints like polyester, epoxy polyurethane, automotive paints and on household appliances. SOCOFLUID K is not appropriate for light alloys. No harmful vapour during usage, does not contain chlorinated, solvent on phenolic by-products. Excellent storage life.

> 21155 U5 Drum 250 kg x 1



#### **ORAFINISH**

#### 1130

#### neutraliser, highlighter

Before painting, on wood to neutralise stripping product (ALCAPOUDRE 1140). Its neutralisation capacity avoids rejections. Highlighting agent for some wood essences, sensitive to darkening after stripping bath or darken though age. Iron converter that protects metal against oxidation.

It is not necessary to dismantle iron parts from wood shutter to treat them as rust leakage does not happen.

#### ANTI GRAFFITIS 585

#### araffiti removal

Cleaning of graffiti on wall, wagon, road sign, glass, wood... Efficient on paints and felt-tip stains. Ideal for local authorities, railway and highway maintenance service. public transport... New generation anti-graffiti with no toxic agents.



4585 A4 Aerosol 650 ml x 12 2585 J1 Can 51 x 4

x 1